

No. 990

# G-grip Screwdriver



This precision screwdriver is perfect for the delicate screw tightening operations of precision work. Our high-precision, tip process conforms to JIS and JICA standards. The ergonomic grips employed enable a smoother torque transfer.



**No. 990**

## G-grip Screwdriver

Quick-turning screwdriver, taking advantage of the gravity force. The perfect shape for high-precision work. The weight of the internal steel ball freely rotates the cap in the palm of the hand to provide the optimum grip position.

※The above illustration is for reference only.

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

### No. 990 G-grip Screwdriver

PAT.

● The weight of the steel ball keeps the end cap in an optimum position for a grip.

StepFlat Cr-V steel

- Black point tip, fitting well screws.
- Slotted tip is cut straight.



← See P30

No.990	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 1.8× 50	1.8	0.25 50 2.5 16 21 148	12 240 125901
⊖ 2.5× 75	2.5	0.3 75 2.5 16 21 173	12 240 125902
⊖ 3 × 100	3	0.5 100 3.0 16 21 198	12 240 125903
⊖ 4 × 100	4	0.6 100 4.0 16 21 198	12 240 125904
⊖ 5 × 100	5	0.8 100 5.0 30 38 215	6 60 125905
⊕ 00 × 75	⊕No.00	75 2.5 16 21 173	12 240 125911
⊕ 0 × 100	⊕No.0	100 3.0 16 21 198	12 240 125912
⊕ 1 × 100	⊕No.1	100 3.0 30 38 215	6 60 125913
⊕ 2 × 100	⊕No.2	100 5.0 30 38 215	6 60 125914

### No. 9902/9903 3-Piece Micro Screwdriver Set

● 2 types recommended to precision fields.

Cr-V steel

- Set of frequently used sizes.
- For adjustment and repair of precision device, electric device, glasses, watches, etc.



Model No.	Set content	Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
9902	No.9900 ⊕00×75, ⊕0×100, ⊖1.8×50	235×70×15	5	30	125636
9903	No.9900 ⊕00×75, ⊖2.5×75, ⊖3×100	235×70×15	5	30	125637

### No. 990TX G-grip TORX Screwdriver

PAT.

● The weight of the steel ball keeps the end cap in an optimum position for a grip.

MagicSpring Cr-V steel ※T6~T20

- A special precision spring is welded to the tip by laser, enabling the screwdriver to catch a TORX screw firmly by spring action.



→ See P48 One point

No.990TX	Inner Ctn.	Outer Ctn.	EDP No.
T3 × 40	1.13	40 2.5 16 21 138	12 240 125921
T5 × 40	1.42	40 2.5 16 21 138	12 240 125923
MagicSpring T6 × 40	1.69	40 2.5 16 21 138	12 240 125924
MagicSpring T8 × 40	2.3	40 2.5 16 21 138	12 240 125926
MagicSpring T9 × 40	2.48	40 4.0 16 21 138	12 240 125927
MagicSpring T10×80	2.72	80 4.0 30 38 195	6 60 125928
MagicSpring T15×80	3.26	80 5.5 30 38 195	6 60 125929
MagicSpring T20×80	3.84	80 5.5 30 38 195	6 60 125930

TORX® is a registered trademark of Acument TM Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

### No. 9900 Micro Screwdriver

- Equipped with a cap for fast turning on the grip.
- Remarkably highly precise black point tip.

Cr-V steel




No.9900	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 1.8× 50	1.8	0.25 50 2.5 10 145	12 120 125621
⊖ 2.5× 75	2.5	0.35 75 2.5 10 170	12 120 125622
⊖ 3 × 100	3	0.45 100 3 10 195	12 120 125623
⊖ 3 × 150	3	0.45 150 3 10 245	12 120 125624
⊕ 00 × 75	⊕No.00	75 2.5 10 170	12 120 125625
⊕ 0 × 100	⊕No.0	100 3 10 195	12 120 125626
⊕ 0 × 150	⊕No.0	150 3 10 245	12 120 125627

## One point

### Features of the precision tip



Precisely-finished tip-end good for minuscule screws  
No.990 / No.9900



A deep recessed area can also be accessed by the thin shank!

No.990



6mm hole, M3 round head screw, and screw head dia. of φ5.5 mm




Two-step flat shape, enabling the tip to fit into a screw

No.990




StepFlat



Catches a TORX screw

A special-shape spring is welded to the tip by laser.

No.990TX




MagicSpring

TORX® is a registered trademark of Acument TM Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.



**No. TD-51 Precision Micro Screwdriver**

- The main body is made of stainless steel (the end cap is made of resin).
- For assembly, repair, and disassembly of precision devices, cameras, watches, glasses, etc.



No. TD-51	Ø	2.2	2.5	3.0	3.5	Cushion Grip color	Inner Ctn.	Outer Ctn.	EDP No.
0.7	0.7	0.15	10	0.7	90	Purple	10	100	251350
0.9	0.9	0.2	10	0.9	90	Green	10	100	251351
1.2	1.2	0.25	10	1.2	90	Blue	10	100	251352
1.8	1.8	0.3	20	1.8	100	Black	10	100	251353
2.3	2.3	0.35	22	2.3	102	Purple	10	100	251354
3.0	3.0	0.4	26	3.0	106	Red	10	100	251355
3.5	3.5	0.5	28	3.5	108	Yellow	10	100	251356
⊕0000	⊕No.0000	17	1.4	97		Lemon	10	100	251394
⊕000	⊕No.000	20	1.6	100		Yellow-green	10	100	251393
⊕00	⊕No.00	24	2.4	104		Red	10	100	251357
⊕0	⊕No.0	26	3.0	106		Yellow	10	100	251358
⊕1	⊕No.1	26	3.0	106		Green	10	100	251359

Package size...160×35×14mm

**No. TD-54 Watch Band Pin Punch**

- The main body is made of stainless steel (the end cap is made of resin).
- For adjustment of the watch band.



No. TD-54	Ø	2.2	2.5	3.0	3.5	Cushion Grip color	Inner Ctn.	Outer Ctn.	EDP No.
0.7	0.7	10	0.7	90			10	100	251380

Package size...160×35×14mm

**No. TD-54 IPR Precision Pentalobe Screwdriver NEW**

- The main body is made of stainless steel (the end cap is made of resin).
- For assembly, repair, and disassembly of precision devices. Smartphones. Laptops.



No. TD-54	Ø	2.2	2.5	3.0	3.5	Cushion Grip color	Inner Ctn.	Outer Ctn.	EDP No.
1IPR	0.84	20	100			Red	10	100	251378
4IPR	1.29	20	100			Yellow	10	100	251379

Package size...160×35×14mm

**No. TD-52 Precision Nutdriver**

- The main body is made of stainless steel (the end cap is made of resin).
- For assembly, repair, and disassembly of precision devices, spacer, toys, etc.



No. TD-52	Ø	2.2	2.5	3.0	3.5	Cushion Grip color	Inner Ctn.	Outer Ctn.	EDP No.	
2.2	—	4.0	12	25	3.0	105	Green	10	100	251361
A/F 3.0	3.0	5.0	7	25	3.0	105	Blue	10	100	251362
A/F 4.0	4.0	6.0	9	25	3.0	105	Black	10	100	251363
A/F 4.5	4.5	6.5	10	25	3.0	105	Purple	10	100	251364
A/F 5.0	5.0	7.0	11	25	3.0	105	Red	10	100	251365
A/F 5.5	5.5	8.0	10	25	3.0	105	Yellow	10	100	251366

Package size...160×35×14mm

**No. TD-59 Precision TORX® Screwdriver NEW**

- The main body is made of stainless steel (the end cap is made of resin).
- For assembly, repair, and disassembly of precision devices. Smartphones. Laptops.



No. TD-59	Ø	2.2	2.5	3.0	3.5	Cushion Grip color	Inner Ctn.	Outer Ctn.	EDP No.
T1	0.84	20	100			Green	10	100	251385
T2	0.94	20	100			Blue	10	100	251386
T3	1.12	20	100			Black	10	100	251387
T4	1.3	20	100			Purple	10	100	251388
T5	1.37	20	100			Yellow	10	100	251390

Package size...160×35×14mm

**No. TD-53 Precision Hex Driver**

- The main body is made of stainless steel (the end cap is made of resin).
- For assembly, repair, and disassembly of precision devices, toys, etc.



No. TD-53	Ø	2.2	2.5	3.0	3.5	Cushion Grip color	Inner Ctn.	Outer Ctn.	EDP No.
H 0.89	0.89	18	98			Green	10	100	251371
H 1.27	1.27	18	98			Blue	10	100	251372
H 1.5	1.5	18	98			Black	10	100	251373
H 2.0	2.0	24	104			Purple	10	100	251374
H 2.5	2.5	24	104			Yellow	10	100	251375

Package size...160×35×14mm


**One point**

**Speed tightening**

Both cushion grip and knurled section should be used for quick tightening.

**Precision tightening**

Press the cushion grip firmly and make a rotation.



**Perfect! for such micro screws!!**

World's smallest screw with M0.5 size according to Us

⊕ 0000  
The cushion grip is adjustable at useful position.

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

### No. TD-54 3ULR Precision Micro Stix® Screwdriver NEW

- The main body is made of stainless steel (the end cap is made of resin).
- For assembly, repair, and disassembly of Smartphones, Laptops, Video Games, HDD.



No. TD-54 3ULR				Cushion (mm)	Grip color	Inner Ctn.	Outer Ctn.	EDP No.
M	0.5	20	100		Lemon	10	100	251425
00	0.7	20	100		Yellow green	10	100	251424
F	0.9	20	100		Green	10	100	251423
0	1.1	20	100		Blue	10	100	251422
1	1.4	20	100		Black	10	100	251421

Package size---160×35×14mm

### No. TD-58 Precision Hex. Driver Set

- The main body is made of stainless steel (the end cap is made of resin).
- Provided in a portable transparent case.



Model No.	Model Name	Set content	Package size (mm)	Inner Ctn.	EDP No.
TD-58	Precision Hex. driver Set	●0.89, ●1.27, ●1.5, ●2.0, ●2.5, ⊕00	140×86×20	10	251384

### No. TD-55/56/56S/56Y Precision Screwdriver Set

- The main body is made of stainless steel (the end cap is made of resin).
- Provided in a portable transparent case.



Model No.	Model Name	Set content	Package size (mm)	Inner Ctn.	EDP No.
TD-55	Precision Screwdriver Set	⊖0.9, ⊖1.2, ⊖1.8, ⊖2.3, ⊖3.0, ⊖3.5	140×86×20	10	251381
TD-56	Precision Screwdriver Set	⊖0.9, ⊖1.2, ⊖1.8, ⊖2.3, ⊕00, ⊕0	140×86×20	10	251382
TD-56S	Precision Screwdriver Set	⊖0.7, ⊖0.9, ⊕0000, ⊕000, ⊕00, ⊕0	140×86×20	10	251389
TD-56Y	Precision Screwdriver Set	⊖3ULR-M, F, 0, ⊖1IPR, ⊖T5, ⊕00	140×86×20	10	251401

### No. 9000 Ceramic Adjuster

- Uses a zirconia ceramics tip, non-inductive magnetic substance.
- Optimum for coil and trimmer adjustments.
- For the adjustment of electronic parts, such as audio instruments, computers, telecommunication devices, electronics components, and electric components.



No.9000							End cap color	Inner Ctn.	Outer Ctn.	EDP No.
⊖0.9×30	0.9	0.4	30	1.8	10	125	Green	10	60	125641
⊖1.3×30	1.3	0.4	30	1.8	10	125	White	10	60	125642
⊖1.8×30	1.8	0.4	30	1.8	10	125	Yellow	10	60	125643
⊖2.6×30	2.6	0.4	30	2.6	10	125	Red	10	60	125644
⊖3.4×15	3.4	0.5	15	3.4	10	115	Black	10	60	125645
⊕0 ×30	⊕No.0	30	2.6	10	125		Navy blue	10	60	125646
⊕1.7×30	⊕Width1.7	30	2.6	10	125		Lilac	10	60	125647

Package size---190×45×14mm

### No. TD-57 Precision Nut Driver Set


- The main body is made of stainless steel (the end cap is made of resin).
- Provided in a portable transparent case.



Model No.	Model Name	Set content	Package size (mm)	Inner Ctn.	EDP No.
TD-57	Precision Nut driver Set	2.2, O3.0, O4.0, O4.5, O5.0, O5.5	140×86×20	10	251383

### No. CA Replacement Ceramic Blade / Ceramic Blade Adapter

- Blade for automatic adjuster.
- Made of zirconia ceramics, offering high durability.
- For the adjustment of electronic parts, such as audio instruments, computers, telecommunication devices and electronic components.



Inner Ctn.:10pcs